

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37249	(plasma adj display adj panel or pdp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:28
L2	3974880	dielectric ajd layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:29
L3	8059	discharge adj gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:29
L4	1	cappacity near5 (high\$2 or low\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:35
L5	1	cappacity near (high\$2 or low\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:31
L6	3189	(first near4 thickness) with (dielectric adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:33
L7	388	(first adj thickness) with (dielectric adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:50
L8	2811	(second near4 thickness) with (dielectric adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:33

L9	421	(partition adj wall) with (dielectric adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:33
L10	12517	(opening) with (dielectric adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:34
L11	3262	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:34
L12	72097	(high\$2 or low\$2) adj capacity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:37
L13	13	3 same 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:36
L14	53	3 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:36
L15	15	((high\$2 or low\$2) adj capacity) with discharg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:37
L16	79	((high\$2 or low\$2) adj capacity) same discharg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:38

L17	312	((high\$2 or low\$2) adj capacity) and discharg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:38
L18	2061	(sustain adj electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:39
L19	3930	(scan\$3 adj electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:40
L20	1878	6 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:40
L21	391	10 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:40
L22	3	9 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:41
L23	1	18 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:41
L24	1	19 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:42

L25	3	11 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:43
L26	2	18 and 19 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:45
L27	6112	2 same 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:46
L28	54868	electrode\$3 same (open\$3 or gap) same discharg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:47
L29	72	27 same 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:55
L30	3	1 and 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:48
L31	2432	345/60-68.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:48
L32	1	29 and 31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:49

L33	1	9 and 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:49
L34	25140	(thickness) with (dielectric adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:50
L35	1	29 and 34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:50
L36	7	29 and plasma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:52
L37	1	18 and 19 and 10	USPAT	OR	OFF	2005/09/28 21:53
L38	0	18 and 19 and discharg adj gap	USPAT	OR	OFF	2005/09/28 21:53
L39	161	18 and 19	USPAT	OR	OFF	2005/09/28 21:53
L40	0	29 and 39	USPAT	OR	OFF	2005/09/28 21:53
L41	3	27 same 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:56
L42	63	1 and 2 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 21:57
L43	34	34 and 42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 22:00

L44	1	39 and 43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 22:00
-----	---	-----------	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L49	0	((plasma adj display adj panel or pdp) and (first adj substrat) and (second adj substrate) and (sustain\$3 adj electrode\$1) and (dielectric adj layer) and (data adj electrode) and (sustain\$3 adj electrode\$1) and (dielectric adj layer) same (transparent) and (dielectric adj layer) same (high adj capacity adj portion) and (gap or spac\$3 or apart) and (discharge adj gap) and (scan\$4 adj electrode\$1) and (sustain\$3 adj electrode\$1) and (form\$3 or constitute) and (opening) and (discharge\$1 adj gap) and (high adj capacity adj portion)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 22:23